

## Ring Sizes


Here's a chart converter for UK, US and European Sizing.:

UK Size	European Size (Approx.)	American Size (Approx.)	Inside Diameter	
			Inches	mm
G			0.5680	14.427
G½			0.5758	14.625
	46		0.5765	14.642
		4	0.5820	14.783
H			0.5835	14.821
	47		0.5890	14.961
H½			0.5913	15.019
		4½	0.5980	15.189
I			0.5990	15.215
	48		0.6015	15.279
I½			0.6068	15.413
	49	5	0.6141	15.597
J			0.6145	15.608
J½			0.6223	15.806
	50		0.6266	15.916
K		5½	0.6300	16.002
K½			0.6378	16.200
	51		0.6391	16.234
L		6	0.6455	16.396
	52		0.6517	16.552
L½			0.6533	16.594
M			0.6610	16.789
		6½	0.6620	16.815
	53		0.6642	16.871
M½			0.6688	16.988

N			0.6765	17.183
	54		0.6767	17.189
		7	0.6780	17.221
N½			0.6843	17.381
	55		0.6893	17.507
O			0.6920	17.577
		7½	0.6940	17.628
O½			0.6998	17.775
	56		0.7018	17.826
P			0.7075	17.971
		8	0.7100	18.034
	57		0.7143	18.144
P½			0.7153	18.169
Q			0.7230	18.364
		8½	0.7265	18.453
	58		0.7269	18.462
Q½			0.7308	18.562
R			0.7385	18.758
	59		0.7394	18.780
		9	0.7430	18.872
R½			0.7463	18.956
	60		0.7519	19.098
S			0.7540	19.152
		9½	0.7590	19.279
S½			0.7618	19.350
	61		0.7644	19.416
T			0.7695	19.545
	62		0.7770	19.736
T½			0.7772	19.741
		10	0.7780	19.761

U			0.7850	19.939
	63		0.7895	20.054
U½			0.7928	20.137
		10½	0.7940	20.168
V			0.8005	20.333
	64		0.8020	20.372
V½			0.8083	20.531
		11	0.8110	20.599
	65		0.8146	20.690
W			0.8160	20.726
W½			0.8238	20.925
	66	11½	0.8271	21.008
X			0.8315	21.120
X½			0.8393	21.318
	67		0.8396	21.326
		12	0.8430	21.412
Y			0.8470	21.514
	68		0.8522	21.645
Y½			0.8548	21.712
		12½	0.8590	21.819
Z			0.8625	21.908
	69		0.8647	21.963
Z½			0.8703	22.106
		13	0.8750	22.225

Here's an approx. scaled chart to give you an idea of the sizing structure, please note that for accurate measurements you need to use a ring sizer (available from [Jewellers.net](http://Jewellers.net))



Inside Diameter (inches)	Inside Diameter (mm)	Inside Circumference (inches)	Inside Circumference (mm)	Number Sizes US/Canada Standard	Wheat Sheaf British Irish Australian Equivalent	Japanese Equivalent	Swiss Equivalent
0.46	11.6	1.44	36.5	0			
0.47	11.8	1.46	37.2	01/04/10			
0.47	12	1.49	37.8	01/02/10	A		
0.48	12.2	1.51	38.4	03/04/10	A 1/2		
0.49	12.4	1.54	39.1	1	B	1	
0.5	12.6	1.56	39.7	1 1/4	B 1/2		
0.51	12.9	1.59	40.4	1 1/2	C		
0.51	13.1	1.61	41	1 3/4	C 1/2		
0.52	13.3	1.64	41.6	2	D	2	1.5
0.53	13.5	1.66	42.3	2 1/4	D 1/2		
0.54	13.7	1.69	42.9	2 1/2	E	3	2.75
0.55	13.9	1.71	43.5	2 3/4	E 1/2		
0.55	14.1	1.74	44.2	3	F	4	4
0.56	14.3	1.77	44.8	3 1/4	F 1/2	5	5.25
0.57	14.5	1.79	45.5	3 1/2	G		
0.58	14.7	1.82	46.1	3 3/4	G 1/2	6	6.5
0.59	14.9	1.84	46.7	4	H	7	
0.59	15.1	1.87	47.4	4 1/4	H 1/2		7.75
0.6	15.3	1.89	48	4 1/2	I	8	
0.61	15.5	1.92	48.7	4 3/4	J		9
0.62	15.7	1.94	49.3	5	J 1/2	9	
0.63	15.9	1.97	49.9	5 1/4	K		10
0.63	16.1	1.99	50.6	5 1/2	K 1/2	10	
0.64	16.3	2.02	51.2	5 3/4	L		11.75
0.65	16.5	2.04	51.8	6	L 1/2	11	12.75

0.66	16.7	2.07	52.5	6 1/4	M	12	
0.67	16.9	2.09	53.1	6 1/2	M 1/2	13	14
0.67	17.1	2.12	53.8	6 3/4	N		
0.68	17.3	2.14	54.4	7	N 1/2	14	15.25
0.69	17.5	2.17	55	7 1/4	O		
0.7	17.7	2.19	55.7	7 1/2	O 1/2	15	16.5
0.71	17.9	2.22	56.3	7 3/4	P		
0.71	18.1	2.24	56.9	8	P 1/2	16	17.75
0.72	18.3	2.27	57.6	8 1/4	Q		
0.73	18.5	2.29	58.2	8 1/2	Q 1/2	17	
0.74	18.7	2.32	58.9	8 3/4	R		19
0.75	18.9	2.34	59.5	9	R 1/2	18	
0.75	19.2	2.37	60.1	9 1/4	S		20.25
0.76	19.4	2.39	60.8	9 1/2	S 1/2	19	
0.77	19.6	2.42	61.4	9 3/4	T		21.5
0.78	19.8	2.44	62.1	10	T 1/2	20	
0.79	20	2.47	62.7	10 1/4	U	21	
0.79	20.2	2.49	63.3	10 1/2	U 1/2	22	22.75
0.8	20.4	2.52	64	10 3/4	V		
0.81	20.6	2.54	64.6	11	V 1/2	23	
0.82	20.8	2.57	65.2	11 1/4	W		25
0.83	21	2.59	65.9	11 1/2	W 1/2	24	
0.83	21.2	2.62	66.5	11 3/4	X		
0.84	21.4	2.64	67.2	12	X 1/2	25	27.5
0.85	21.6	2.67	67.8	12 1/4	Y		
0.86	21.8	2.69	68.4	12 1/2	Z	26	28.75
0.87	22	2.72	69.1	12 3/4	Z 1/2		
0.87	22.2	2.74	69.7	13		27	
0.88	22.4	2.77	70.3	13 1/4	Z1		
0.89	22.6	2.8	71	13 1/2			
0.9	22.8	2.82	71.6	13 3/4	Z2		
0.91	23	2.85	72.3	14	Z3		
0.91	23.2	2.87	72.9	14 1/4			
0.92	23.4	2.9	73.5	14 1/2	Z4		
0.93	23.6	2.92	74.2	14 3/4			
0.94	23.8	2.95	74.8	15			
0.95	24	2.97	75.4	15 1/4			
0.95	24.2	3	76.1	15 1/2			
0.96	24.4	3.02	76.7	15 3/4			
0.97	24.6	3.05	77.4	16			